

SUZUKI V-STROM 650 '17- / V-STROM 650 XT '17-

M O U N T I N G I N S T R U C T I O N S

REF 21576

OIL CARTER GUARD



Nº 8
Nº 13
Nº 15
Nº 17



ALLEN

Nº 4
Nº 5
Nº 8




ID	PIEZA/PART	DESCRIPCIÓN	DESCRIPTION	QTY	REF
1		Protector de aluminio	Aluminum protection plate	1	SOPOR5P3PN21576
2		Soporte delantero derecho	Right front support	1	SOPOR5P3DD21576
3		Soporte delantero izquierdo	Left front support	1	SOPOR5P3DI21576
4		Soporte trasero derecho	Right rear support	1	SOPOR5P3TD21576
5		Soporte trasero izquierdo	Left rear support	1	SOPOR5P3TI21576
6		Amortiguador antivibratorio silentblock Ø20x10 (M6x18, int M6x6)	Anti vibration damper silentblock Ø20x10 (M6x18, int M6x6)	4	SILENTBLOCK-523
7		Tornillo M6 x8 DIN7991	M6 x8 DIN7991 screw	4	TORNI-D7991-918
8		Tornillo M6 x16 DIN7991	M6 x16 DIN7991 screw	2	TORNI-D7991-544
9		Tornillo M10x120 DIN 912	M10x120 DIN 912 screw	1	TORNI-D912--919
10		Arandela M10 DIN125	M10 DIN125 washer	1	ARAND-PIM10-574
11		Tuerca M10 DIN985	M10 DIN985 nut	1	TUEA-D985.8-M10
12		Arandela M8 DIN9021	M8 DIN9021 washer	1	ARAND-D9021-625

SUZUKI V-STROM 650 '17- / V-STROM 650 XT '17-

INSTRUCCIONES DE MONTAJE - MOUNTING INSTRUCTIONS - MONTAGEANLEITUNG

1


DISASSEMBLY
DESMONTAJE



LEFT SIDE

2


DISASSEMBLY
DESMONTAJE



RIGHT SIDE

3

DISASSEMBLY
DESMONTAJE




RIGHT SIDE

DESMONTAR SOPORTES ORIGINALES,
Y VOLVER A APRETAR TORNILLOS
REMOVE ORIGINALS SUPPORTS,
AND RE-TIGHTEN SCREWS

4

DISASSEMBLY
DESMONTAJE



LEFT SIDE


DESMONTAR SOPORTES ORIGINALES,
Y VOLVER A APRETAR TORNILLOS
REMOVE ORIGINALS SUPPORTS,
AND RE-TIGHTEN SCREWS

SUZUKI V-STROM 650 '17- / V-STROM 650 XT '17-

INSTRUCCIONES DE MONTAJE - MOUNTING INSTRUCTIONS - MONTAGEANLEITUNG

5


**DISASSEMBLY
DESMONTAJE**



RIGHT SIDE

6

**ASSEMBLY
MONTAJE**



A **PIEZA ORIGINAL
ORIGINAL PART**

RIGHT SIDE


A **Par Apriete - 15 Nm
Tightening Torque - 15 Nm**

SUZUKI V-STROM 650 '17- / V-STROM 650 XT '17-

INSTRUCCIONES DE MONTAJE - MOUNTING INSTRUCTIONS - MONTAGEANLEITUNG

7


DISASSEMBLY
DESMONTAJE



LEFT SIDE

8

ASSEMBLY
MONTAJE



A PIEZA ORIGINAL
ORIGINAL PART

LEFT SIDE


A Par Apriete - 20 Nm
Tightening Torque - 20 Nm

SUZUKI V-STROM 650 '17- / V-STROM 650 XT '17-

INSTRUCCIONES DE MONTAJE - MOUNTING INSTRUCTIONS - MONTAGEANLEITUNG

9

ASSEMBLY
MONTAJE




LEFT SIDE

9 Par Apriete - 25 Nm
Tightening Torque - 25 Nm

10

ASSEMBLY
MONTAJE



RIGHT SIDE

8 Par Apriete - 10 Nm
Tightening Torque - 10 Nm

7 Par Apriete - 8 Nm
Tightening Torque - 8 Nm